

Lampiran 9

Hasil Pengolahan SPSS Versi 23.0

Hasil Uji Koefisien Determinasi

Model Summary^b

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate |
|-------|-------------------|----------|-------------------|----------------------------|
| 1 | ,995 ^a | ,990 | ,990 | 71750,35823 |

Hasil Uji Auto Korelasi

Model Summary^b

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate | Change Statistics | | | | | Durbin-Watson |
|-------|-------------------|----------|-------------------|----------------------------|-------------------|----------|-----|-----|---------------|---------------|
| | | | | | R Square Change | F Change | df1 | df2 | Sig. F Change | |
| 1 | ,995 ^a | ,990 | ,990 | 71750,35823 | ,990 | 1879,622 | 3 | 56 | ,000 | 2,109 |

a. Predictors: (Constant), pdrb, pad, dp

b. Dependent Variable: bd

Hasil Uji Simultan (F)

ANOVA^a

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|--------------------|----|-------------------|----------|-------------------|
| 1 | Regression | 29029517314452,170 | 3 | 9676505771484,059 | 1879,622 | ,000 ^b |
| | Residual | 288294378770,757 | 56 | 5148113906,621 | | |
| | Total | 29317811693222,930 | 59 | | | |

a. Dependent Variable: bd

b. Predictors: (Constant), pdrb, pad, dp

Hasil Uji Multikolinieritas

Coefficients^a

| Model | Collinearity Statistics | |
|--------------|-------------------------|-------|
| | Tolerance | VIF |
| 1 (Constant) | | |
| pad | ,833 | 1,200 |
| dp | ,829 | 1,206 |
| pdrb | ,969 | 1,032 |

Hasil Uji Parsial (t)

Coefficients^a

| Model | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|--------------|-----------------------------|------------|---------------------------|--------|------|
| | B | Std. Error | Beta | | |
| 1 (Constant) | 55092,927 | 22942,681 | | 2,401 | ,020 |
| pad | 1,793 | ,070 | ,371 | 25,569 | ,000 |
| dp | 1,094 | ,020 | ,782 | 53,701 | ,000 |
| pdrb | -,001 | ,000 | -,023 | -1,742 | ,087 |

Hasil Uji Normalitas

| One-Sample Kolmogorov-Smirnov Test | | |
|------------------------------------|----------------|-------------------------|
| | | Unstandardized Residual |
| N | | 60 |
| Normal Parameters ^{a,b} | Mean | ,0000000 |
| | Std. Deviation | 69902,3991211 |
| Most Extreme Differences | Absolute | ,102 |
| | Positive | ,077 |
| | Negative | -,102 |
| Test Statistic | | ,102 |
| Asymp. Sig. (2-tailed) | | ,196 ^c |


a. Test distribution is Normal.

b. Calculated from data.

c. Lilliefors Significance Correction.

Hasil Uji Normalitas

Normal P-P Plot of Regression Standardized Residual



Hasil Uji Heteroskedastisitas

